Serial No. 09/881,462

Office Action. The section 102 rejection is the same as to the same claims. The current grounds of the section 103 rejections are the same as the initial grounds of rejections as to claim 5 and claims 14-20. Merely extended the initial 103 rejection of claim 5 to claims 1-13 does not create "new grounds".

Where the applicant traverses any rejection, the examiner should, if he or she repeats the rejection, take note of the applicant's arguments and answer the substance of it.

MPEP 707.07(f).

This affords the Applicant the opportunity to refocus her response.

Moreover, Applicant pointed out certain advantages of the instant invention over the cited prior art.

If it is the examiner's considered opinion that the asserted advantages are not sufficient to overcome the rejection(s) of record, [the examiner] should state the reasons for his or her position in the record, preferably in the action following the assertion or argument relative to such advantages. MPEP 707.07(f).

To assure completeness fo the examiner's action and allow the applicant an opportunity to refocus her prosecution of this application, the applicant respectfully requests that the arguments and advantages asserted in the First Response be answered and addressed as required pursuant to 37 CFR 1.104.

Serial No. 09/881,462

CONCLUSION

For all the above reasons, applicant believes that all the claims presented in this application are allowable over the prior art, and any early allowance of the application is earnestly solicited. Formal drawings will be submitted upon notice of allowance.

Respectfully submitted,

Michael R. McKenna

Registered Patent Attorney

Reg. No. 32,368

MICHAEL R. MCKENNA 500 West Madison Street Suite 3800 Chicago, Illinois 60661 (312) 321-0123

Certificate of Mailing

I hereby certify that	this correspondence is being deposite
with the United States Po	stal Service as first class mail in a
	mmissioner of Patents and Trademarks
Washington, D.C. 20231 on _	
Date: May 27, 2003	Signed: Qua Zar Lew